



DORY: An Encrypted Search System with Distributed Trust

Emma Dauterman, Eric Feng, Ellen Luo, Raluca Ada Popa,
and Ion Stoica, *University of California, Berkeley*

<https://www.usenix.org/conference/osdi20/presentation/dauterman-dory>

This paper is included in the Proceedings of the
14th USENIX Symposium on Operating Systems
Design and Implementation

November 4–6, 2020

978-1-939133-19-9

Open access to the Proceedings of the
14th USENIX Symposium on Operating
Systems Design and Implementation
is sponsored by USENIX



DORY: An Encrypted Search System with Distributed Trust

Emma Dauterman, Eric Feng, Ellen Luo, Raluca Ada Popa, and Ion Stoica

University of California, Berkeley

Abstract. Efficient, leakage-free search on encrypted data has remained an unsolved problem for the last two decades; efficient schemes are vulnerable to leakage-abuse attacks, and schemes that eliminate leakage are impractical to deploy. To overcome this tradeoff, we reexamine the system model. We surveyed five companies providing end-to-end encrypted filesharing to better understand what they require from an encrypted search system. Based on our findings, we design and build DORY, an encrypted search system that addresses real-world requirements and protects search access patterns; namely, when a user searches for a keyword over the files within a folder, the server learns only that a search happens in that folder, but does not learn which documents match the search, the number of documents that match, or other information about the keyword. DORY splits trust between multiple servers to protect against a malicious attacker who controls all but one of the servers. We develop new cryptographic and systems techniques to meet the efficiency and trust model requirements outlined by the companies we surveyed. We implement DORY and show that it performs orders of magnitude better than a baseline built on ORAM. Parallelized across 8 servers, each with 16 CPUs, DORY takes 116ms to search roughly 50K documents and 862ms to search over 1M documents.

1 Introduction

Users have grown increasingly reliant on filesharing systems such as Box, Dropbox, and iCloud. However, attacks on storage servers [88, 95, 98, 109] have exfiltrated large amounts of sensitive data belonging to many users, jeopardizing user privacy as well as the reputation and business of the victim organizations. End-to-end encrypted storage systems [73, 107, 115, 121, 124] provide a strong defense against this type of attack: the client stores all cryptographic keys and the server receives only encrypted data, and so an attacker that compromises the server can only exfiltrate encrypted data.

At the same time, end-to-end encrypted filesharing services struggle to provide the same functionality as plaintext storage providers like Dropbox because the server cannot decrypt the data to process it. Server-side search is a critical tool that users expect for convenience and companies require for compliance.

Despite a large body of work on searchable encryption [23, 25, 35, 37–40, 50, 52, 67, 68, 94, 97, 111, 114, 116], *practical and leakage-free* search on encrypted data has remained an unsolved problem for two decades. Existing work can largely be divided in two categories: (1) practical but leaking search

access patterns, or (2) not leaking search access patterns but expensive.

In the first category, an attacker can learn sensitive data by observing search access patterns. We now explain what search access patterns are intuitively by contrasting them to the leakage already existing in deployed end-to-end encrypted filesystems [73, 107, 115, 121, 124]. In these filesystems, when a user accesses a file, the server learns that this specific user accessed that specific file, but it does not see the content due to end-to-end encryption. The concern with leaking search access patterns on top of this filesystem leakage is that search access patterns can leak information at the word level, allowing an attacker to potentially reconstruct search queries and document plaintext [22, 65, 72, 84, 102, 106, 129].

Consider a simple example of how an attacker can exploit search access patterns [129]. The server stores an inverted search index for Alice’s emails mapping an encrypted keyword to an encrypted list of files. The attacker sends a one-word email to Alice containing “flu”. If Alice’s client updates entry 924 of index on the server, the attacker learns that index[924] is for “flu”. By repeating this process for every word in the dictionary, the attacker can discover the word corresponding to every index entry. Later when Alice receives a confidential email, the attacker can derive all the words in that email based on which index entries are updated. More sophisticated attacks can reconstruct both entire documents and search queries from even more advanced search schemes [22, 65, 72, 84, 102, 106, 129]. In this paper, we informally define search access pattern leakage as the set of documents matching a search keyword, the size of that set, and any information about the search query. In contrast, if a scheme does not leak search access patterns, then during a search on a folder, the search server learns only that a search is now happening in that folder.

The second category of existing work typically relies on Oblivious RAM (ORAM) [54, 99, 119], a cryptographic tool that allows a client to read and write data from a server without revealing access patterns. Many academic works point to an inverted index inside ORAM as a straightforward way to eliminate leakage [61, 96, 116]. Unfortunately, even though the asymptotic complexity of ORAM is polylogarithmic in the index size, the cost of even the most practical ORAM schemes remains prohibitively expensive for our setting. For example, inserting a file requires an expensive ORAM operation for *every* keyword in that file (and there can be hundreds).

Given that practical, leakage-free search remains a difficult

problem, we revisit the system model: What do real end-to-end encrypted filesharing systems actually require from a search system? Would the problem become more tractable in their system model?

Choosing a system model. We surveyed five companies that provide end-to-end encrypted filesharing, email, and/or chat services: Keybase [73], PreVeil [107], SpiderOak [115], Sync [121], and Tresorit [124]. To the best of our knowledge, this is the first study of requirements for encrypted search in real filesharing systems. We discuss our findings in §2 and summarize the ones most relevant to DORY here:

Efficiency requirements. These companies care about two primary metrics: latency and monetary cost. They are not concerned about the asymptotic complexity of the search algorithm and would accept an algorithm with runtime linear in the number of documents as long as their concrete performance and cost requirements are met (see Table 2).

Trust model requirements. Some of these companies were already splitting trust to back up secret keys or distribute public keys, and we wanted to know if we could leverage a similar distributed trust assumption to make the problem of encrypted search more tractable. While these companies were willing to split trust across multiple domains, some had two requirements aimed at strengthening the distributed trust assumptions. First, if at least one trust domain is honest, then an attacker that controls all the remaining trust domains and observes user queries should not learn search access patterns. In particular, we need to protect against a *malicious* attacker rather than an honest-but-curious one and should not assume that the attacker follows the protocol. The second requirement, stated intuitively, is that only search access patterns should be protected by distributed trust, and an attacker that compromises *all* trust domains should not immediately learn the contents of the search index.

While prior work explores some forms of distributing trust for encrypted search [15, 19, 45, 62, 64, 108], we are not aware of any work that meets both the efficiency and distributed trust requirements outlined above without leaking any search access patterns, as explained in §8.

Our system: DORY. We design and implement DORY (Decentralized Oblivious Retrieval sYstem), an encrypted-search system that splits trust to meet the real-world efficiency and trust requirements summarized above (and detailed in §2). DORY ensures that an attacker who cannot compromise every trust domain does not learn search access patterns.

We implemented and evaluated DORY to show that it performs better (for some metrics, orders of magnitude better) than an ORAM baseline (§7). DORY also meets the companies' efficiency requirements; parallelized across 8 servers, searching over 1M documents takes 862ms, and, using workload estimates from the companies, we estimate that DORY costs roughly \$0.0509 per user per month.

DORY combines cryptographic and systems techniques to overcome the security and efficiency challenges of previous so-

lutions. Several of the companies we surveyed have expressed interest in deploying DORY, and one of them already has plans to integrate DORY into their system in the near future.

1.1 Summary of techniques

Choosing an oblivious primitive. Given the inefficiencies of ORAM, a key challenge was choosing a cryptographic primitive for hiding search access patterns. We identified a relatively recent cryptographic tool, distributed point functions (DPFs) [51] (a specific type of function secret sharing [20, 21]), as particularly promising for our setting. DPFs allow us to leverage ℓ servers (for practical constructions, $\ell = 2$) to retrieve part of the search index without any group of $< \ell$ servers learning which part of the index we're retrieving (the problem of private information retrieval, or PIR [27, 28]). A DPF-based solution requires a linear scan over the index, but the overhead per index entry is small because it relies on AES evaluations, which are implemented efficiently in hardware.

Designing the search index. An important challenge is how to structure the search index to support efficient search and update operations. To minimize the overhead of updating the search index when a file is uploaded, the client should only need to upload a small, constant-sized amount of data per file, and ideally avoid performing an expensive cryptographic operation for every keyword in that file. To minimize search overhead, we need to limit the number of DPF queries. To achieve both of these goals, we keep a table where each row corresponds to a bitmap of words for a document. An update simply requires the client to insert a *row* by uploading a new bitmap, and, a search only requires a single DPF request to retrieve the *column* corresponding to a keyword (§4.1). However, this bitmap can become quite large to accommodate every word in the dictionary. To reduce the size of this bitmap (and thus the time for the linear scan), we use a Bloom filter, which provides compression while preserving column alignment. Bandwidth from the servers to the client is linear in the number of files searched over, but we require less than 1 byte per file (§7) and, more importantly, this fixed bandwidth enables DORY to hide the number of search results, which can be exploited in volume-based attacks [22, 72, 102].

Encrypting the search index. To prevent an attacker that compromises all the servers from immediately reconstructing the plaintext search index, we need to encrypt each bit in the Bloom filter before inserting it into the search index. Unfortunately, the expansion of encryption would increase the size of the search index (and thus the time for the linear scan) by the security parameter λ (typically $\lambda = 128$). To ensure that the encrypted index is the same size as the plaintext index, we instead mask the bits using a random one-time pad that we ensure is unique for each version of the file (§4.1).

Defending against a malicious attacker. DPFs do not protect against malicious attackers. To protect against a malicious attacker that compromises all but one of the trust domains, we leverage MACs to allow the client to check the integrity

of search results in a way that makes blackbox use of DPFs. Applied naively, adding MACs would increase the search bandwidth and storage at the server by a factor of λ . To address this problem, we employ aggregate MACs [71] to turn λ from a multiplicative factor to an additive one (§4.3).

Providing fault tolerance. Splitting trust across different trust domains naturally requires additional servers. With secret-sharing, one tool for distributing trust, servers store different data that they may not share. Then, to provide fault tolerance, each of these servers would need to be replicated. We observe that in DORY, servers can use each other for fault-tolerance even though they are in *different* trust domains due to two properties (§5): (1) each server has an identical copy of the state, and (2) the client can perform integrity checks.

Reducing the cost of replication. To execute a search query correctly, all the servers must operate on the same version of the state. This is challenging because clients can issue update and search requests concurrently. One possibility is to use standard Byzantine fault-tolerant (BFT) consensus techniques to solve this problem, but this would require $3f + 1$ trust domains to handle f failures. Instead, we observe (1) the ways in which our system setting is less demanding than that of BFT, and (2) that our cryptographic protocol enables clients to check integrity even if all servers are compromised; using these, DORY only needs $f + 1$ trust domains (§5).

2 Finding DORY: identifying a system model

To understand real-world use cases, we surveyed five companies providing end-to-end encrypted file storage, email, and/or chat solutions: Keybase [73], PreVeil [107], SpiderOak [115], Sync [121], and Tresorit [124]. For each company, we asked a set of questions (see full version [36]) over the course of discussion(s) and email exchanges. This study was conducted as we were in the process of designing our system. We summarize our findings in Tables 1 and 2 and in the following sections. We report statistics in aggregate to preserve the confidentiality of individual companies, as they requested. These statistics and requirements motivate DORY’s system model.

About the companies. Before we report the results of our survey, we give a brief background about each company. Keybase [73], founded in 2014 in the US and recently acquired by the video-conferencing company Zoom [128], keeps a publicly auditable key directory and offers open-source, end-to-end encrypted chat and storage systems. PreVeil [107], founded in 2015 in the US, focuses on both encrypted chat and storage solutions and open-sources some of its tools. SpiderOak [115], founded in 2007 in the US, offers encrypted storage, backup, and messaging solutions leveraging a private blockchain and open-sources many of its tools. Sync [121], founded in 2011 in Canada, and Tresorit [124], founded in 2011 in Switzerland, both provide encrypted storage. With the exception of Keybase, these companies generally target enterprise customers and support compliance with regulations

	Keybase	PreVeil	SpiderOak	Sync	Tresorit	
Need server search?	✓	✓	✓	✓	✓	Table 1: The search use-cases for each of the five companies we surveyed.
Have server search?	✗	✗	✗	✗	✗	
File sharing?	✓	✓	✓	✓	✓	
Email?	✗	✗	✗	✗	✗	
Chat?	✓	✗	✓	✗	✗	
Mobile client?	✓	✓	✓	✗	✓	

Table 2: Survey statistics. In accordance with the companies’ confidentiality wishes, we report most fields in aggregate although we report individual responses for max permissible search latency (only 4 of the companies responded).

System cost & scale	
Avg. #docs/user	100 - 45K
Max #docs/user	100K - 1.3M
Price/month/user	\$0-20
Search requirements	
Max added \$/month/user	\$0.70-5.54
Max search latencies (s)	[0.5, 1, 1, 4]
Est. update/search ratio	50/50

such as GDPR or CMMC. Some of these companies report over 750K users in over 180 countries.

The need for server-side search. Every company expressed a need for server-side search on encrypted data either for their desktop client in cases where users do not have all the files downloaded, or for the mobile or web clients. However, none currently support server-side search; they all told us that they tried at some point to develop a solution (most had researched the academic literature), but their efforts were eventually thwarted by concerns about performance or search access patterns. Several of the companies we surveyed had built or used a client index as a temporary solution, but they did not see this as a long-term solution because of its inability to index many files locally (e.g. enterprise data) or its resource consumption (especially on mobile). In §7.5, we discuss how synchronization between clients makes this solution infeasible in cases where documents are constantly updated.

They all stated interest in deploying a server-side solution that met their functionality, security, and performance requirements, if such a solution were to exist.

2.1 System requirements

Search must be responsive. The companies reported maximum search latencies between 500ms and 4s (Table 2). The company that reported a maximum search latency of 500ms reported tens of thousands to hundreds of thousands documents per user, while some of the companies that reported larger maximum search latencies had users with approximately a million documents.

Monetary cost for search must be small. These companies prioritize keeping the cost of search below \$0.70 per user per month in order to make it feasible to deploy search to all users without increasing prices (Table 2). While some companies were willing to consider charging more for the ability to search, other companies believed that users would be unwilling to pay

extra because they are used to free search on other platforms. **Multiple users must be able to update and search the same documents.** Each company allows multiple users to access the same file. Therefore, a search solution should be designed with multiple clients in mind and minimize the amount of state clients need to synchronize between operations.

Revoking a user's access must be cheap. All these companies implement revocation lazily [9, 48, 53, 56, 66, 110], meaning that when a user's access to a folder is revoked, the remaining users generate a new key and, rather than re-encrypting every document in the folder under the new key, simply use the new key for subsequent updates. In this way, the revoked user can still access documents that haven't been updated since the time of revocation. These companies want to adopt a similar approach for search. When a user is revoked, rather than re-computing the entire search index (as in ORAM-based solutions), subsequent updates should not allow the revoked user to search over the updated documents.

Relaxations. In addition to learning requirements, we also learned several system relaxations these companies accepted. The companies did not require search results to be fresh (they could be stale for up to a few minutes), and they were also willing to accept a small number of false positives (several other search schemes have also leveraged this allowance [15, 52]).

2.2 Distributed trust requirements

The majority of prior encrypted search work considers a single-server model where the attacker can take control of the entire system. As some of these companies were already leveraging distributed trust (e.g. Keybase to distribute public keys via social media servers, PreVeil to backup secret keys secret-shared among multiple clients), we wanted to know if they were willing to accept a distributed trust model for encrypted search as well, as this could be an opportunity for providing a more efficient search. We found that all the companies were open to a distributed trust model, although several companies had more specific requirements for how to distribute trust:

Hide search access patterns even with only one honest trust domain. These companies wanted the guarantee that if at least one trust domain is honest, then an attacker cannot learn search access patterns. They did not want to assume that other trust domains behaved correctly, so they wanted a malicious threat model rather than an honest-but-curious one.

Distributed trust only for search access patterns. These companies wanted to limit the damage caused by an attacker who compromises *all* the ℓ trust domains by ensuring that putting the ℓ search indices together does not readily provide the attacker with the plaintext search index. For example, if a company is subpoenaed and every trust domain must hand over its search index and search access patterns from then on, the company can choose to suspend search services to protect users' privacy by reducing search access pattern leakage, similar to the case where Lavabit chose to suspend operation rather than reveal Snowden's emails [4]. In such a case,

reconstructing the index from the ℓ servers' index shares should result in end-to-end encrypted data. This requirement rules out solutions based on secret-sharing a plaintext search index across multiple servers because an attacker compromising all trust domains can recover the plaintext index.

2.3 Opportunities

From the survey results reported above, we summarize what we considered opportunities to make the problem of encrypted search easier:

- Performing a linear scan to search is feasible if the response time and the cost on expected workloads are acceptable.
- Distributing trust across multiple trust domains is acceptable if certain security requirements are met.

These opportunities serve as the basis for our system design.

2.4 Building a distributed trust system

We now discuss how to build a system where an attacker who compromises part of the infrastructure cannot easily gain access to the entire infrastructure. Such a model has already been deployed in several real systems, including cryptocurrencies relying on consensus such as Ripple [90] or Stellar [86], Certificate Transparency [81], and academic work [31].

Split across clouds. By treating different clouds as distinct trust domains, a malicious cloud provider (or an attacker that can exploit a vulnerability in one cloud infrastructure), cannot gain access to both trust domains.

Split across institutions. By using trust domains in competing organizations or nonprofits generally trusted by the public (e.g., the Electronic Frontier Foundation), users can have a stronger assurance that the organizations are unlikely to collude.

Split across jurisdictions. By separating trust domains by jurisdiction (i.e. different countries), a single legal authority cannot gain access to the entire system.

If the trust domains are deployed in the cloud, we can take advantage of the fact that cloud providers are monetarily incentivized to provide availability. Fail stops can still occur naturally, but cloud providers make it easy to detect failures and launch new servers. Clients can report statistics on the lack of availability of a trust domain, and the organization deploying the system can take its business elsewhere.

2.5 Future directions

As we conducted our survey, some companies mentioned additional features that, while not necessary for initial deployment, are desirable. Although we do not support these in DORY, we note them here as potential directions for future work.

Concentrate resources in a single trust domain. The trust domain already used for the filesystem should do most of the work for search as well. Each additional trust domain should do little work, so that adding a new trust domain should be cheap. DORY concentrates resources to some extent, (§5), but, as discussed in §4, still requires a server in each trust domain to perform a linear scan.

Richer search functionality. Several companies mentioned that they would appreciate richer search functionality beyond

simple keyword search (e.g. ranked search based on term frequency.) DORY only returns the set of documents containing a keyword, leaving ranked search for future work.

3 System design overview

In DORY, we focus only on the search system for end-to-end encrypted filesharing systems and not on the design of these filesharing systems. These systems [73, 107, 115, 121, 124] already exist and are in use. We design DORY to build on top of and interface with these systems as described in §3.2. For this purpose, we abstract out the underlying filesystem.

3.1 The underlying filesystem

End-to-end encrypted filesystems (including the five companies we surveyed in §2) tend to follow a common design pattern, which we now describe. To hide the contents (including the name) of documents, these filesystems assign a document ID to each document and associate the ID with an encryption of the document contents. Documents accessible by the same users are grouped into *folders*, each of which has a corresponding ID. Users who have access to the same folder share a (logical) secret key used to encrypt the documents in that folder. In this way, while the server learns the IDs of documents being accessed, the number of documents in each folder, and which users have access to which folders, it does not see the contents of the documents.

When a user is added to a folder, the other users share the existing folder key with the new user, and when a user’s access to a folder is revoked, the remaining clients choose a new folder key. To prevent the remaining clients from having to re-encrypt every document in the folder after a user is revoked, these systems employ lazy revocation (as described in §2.1).

Users may choose to keep some documents synchronized with the server (i.e., store the most recent version of the document locally) and others not synchronized (i.e., do not store locally and retrieve them from the server only as needed). In either case, the user has already downloaded the most recent version of the document before she sends an update. In the case where two clients try to update the same file simultaneously, these systems often create two versions of a file.

DORY integrates with the filesystem (FS) using the following FS API (depicted in Figure 3):

- `getCurrKey(folderID) → k`: Get the current key associated with the group of files in `folderID`.
- `getDocKey(docID) → k`: Get the key used in the most recent update for `docID`.
- `getDocIDs(folderID) → docIDs`: Get all the document IDs used for the documents in `folderID`.
- `getVersion(folderID, docID) → version`: Get the current version number associated with a file.

3.2 The DORY API

When a user searches or updates a file, the filesystem client calls the DORY client via DORY’s API so that DORY performs




Figure 3: System software architecture. The figure shows the structure of the software rather than the physical system itself, where the server is instantiated across multiple machines.

the search or incorporates new updates into the search index. We now describe DORY’s client API, depicted in Figure 3.

When the user updates a document in the underlying filesystem, the user’s client also sends an update to the DORY client to maintain the search index, allowing DORY servers to respond to subsequent search queries correctly.

The underlying filesystem already handles key management by giving permitted users access to the folder key(s). DORY leverages this key management mechanism so the permissions of the filesystem naturally extend to DORY: when a user is added to or removed from a folder in the underlying filesystem, she also gains or loses the ability to search in DORY.

We also utilize the fact that to update a document in the underlying filesystem, the user has already downloaded that document (if it is not being added for the first time). We employ the conflict-resolution mechanisms in the underlying filesystem to resolve conflicts in search index updates.

DORY exposes the following API to filesystem clients:

- `Update(folderID, docID, prevWords, currWords)`: Given the folder ID, the document ID of a document in that folder, the previous set of keywords in that document `prevWords`, and the current set of keywords in that document `currWords`, update the state at the DORY servers.
- `Search(folderID, keyword) → docIDs`: Given the folder ID to search over and a keyword, find all the documents containing that keyword. DORY has a small (configurable) false positive rate, but DORY has no false negatives.

Updates require the client to upload a small, constant-sized amount of data per file, and searches require the server to perform a linear scan over the search index for a given folder (the cost of search for a user only depends on the number of files that user has access to).

3.3 System architecture

Folders in DORY are divided into *partitions*, each of which is managed by a different group of servers. A deployed system may contain many such partitions, and execution across partitions occurs in parallel. The following entities comprise DORY’s system architecture for a single partition (Figure 4):

- **Filesystem server:** The underlying filesystem provides the functionality described in §3.1.
- **Replicas:** The ℓ DORY replicas maintain identical copies of the search index and execute search queries. Each replica is deployed in a separate trust domain. In our implementation, we use $\ell = 2$.




Figure 4: DORY’s physical system architecture for a single partition (filesystem server not pictured). Replicas should be deployed in different trust domains, and each holds a copy of the search index.

- **Master:** The DORY master ensures that the ℓ replicas have the same view of the state and that the clients know the version of this state and which servers to contact. The master can be deployed in any existing trust domain.
- **Clients:** Multiple clients send requests to the filesystem server and the DORY master and replicas. Each client only needs to store three 128-bit keys (and can optionally cache version numbers received from the master).

To search, the client must interact with ℓ replicas for each partition. The master can be co-located with the filesystem server to ensure that updates to the search system and underlying filesystem occur atomically, although this is not necessary.

3.4 Threat model and security properties

We now describe DORY’s security properties at a high level, and include DORY’s formalism (detailing the guarantees) and proof in the full version [36]. In short, we achieve the security goals in §2.2. We discuss security at the level of trust domains, each of which may deploy one or more servers.

Below, we assume that the underlying filesystem is maliciously secure. In particular, we assume that DORY’s client can always retrieve the correct version number from the underlying filesystem. Providing such a guarantee (e.g., by detecting rollback and fork attacks in filesystems) is a well-studied line of work [11, 63, 70, 75, 82]. If the underlying filesystem only defends against an honest-but-curious attacker, though, DORY also only protects against such an attacker.

Security with one honest trust domain. A malicious attacker that compromises $\ell - 1$ of the ℓ trust domains does not learn any search access patterns. More precisely, such an attacker learns nothing except what is leaked by the underlying filesystem, as well as the timing of individual search requests and the folders they take place over. This security property implies both forward privacy, the privacy of newly added files in the presence of previous queries, and backward privacy, the privacy of deleted files after deletion, as defined by Stefanov et al. [116]. Notably, we do not leak the number of search results; if leaked, this information could open the door to volume-based attacks [102] (parameters that determine result sizes are public).

Security with no honest trust domains. DORY’s goal is to hide search access patterns when at least one trust domain is honest. When all trust domains are compromised, we have

the modest goal of defaulting to the security of prior schemes leaking search access patterns, instead of readily losing all security by immediately exposing the search index. In this case, the only additional leakage (on top of what the attacker learns if at least one trust domain is honest) is a deterministic identifier for the keyword queried. In the security definition for our cryptographic protocol, we model the attacker as seeing queries only after the point of compromise; in reality, systems retain leakage (e.g. cache state) that increases the amount of information the attacker can access [57].

We formally model the end-to-end security guarantees of DORY for the case where at least one trust domain is honest and the case where no trust domains are honest by defining an ideal functionality \mathcal{F} that specifies the behavior of an ideal system, capturing the properties discussed above. \mathcal{F} further captures the fact that the client can verify the integrity of the result. In the full version [36], we present a formal definition using \mathcal{F} and prove the following theorem, which captures DORY’s security:

Theorem 1: *Using the definitions in the full version [36], DORY securely evaluates (with abort) the ideal functionality \mathcal{F} when instantiated with a secure PRF, a secure aggregate MAC, a secure distributed point function, and a secure filesystem that implements the ideal filesystem functionality.*

DORY does not provide availability if any one trust domain refuses to provide service (see §2.4 for how cloud providers are monetarily incentivized to provide availability).

Relationship with underlying filesystem. DORY interfaces with deployed end-to-end encrypted filesystems (§3.1). These, as mentioned, allow the server to learn the ID of the file being accessed (but not its contents). While search itself is protected in DORY, some side effects of the search results are not: If, after seeing the search results, a user decides to open (and retrieve from the filesystem) a file in the results, an attacker could infer that the file matched the search. DORY does not address these side effects, but simply aims to not add any leakage to the overall system during search. These side effects (and leakage due to the filesystem) can be prevented by running DORY on top of an oblivious filesystem.

Extension to oblivious filesystems. Some file storage proposals [10, 26, 58, 91, 92] hide which files are being accessed. These are usually based on oblivious algorithms [119], which have significant overhead and have not yet been deployed. Nevertheless, in §4.5, we discuss how DORY can be used to provide search for an example of such a filesystem design, demonstrating that DORY’s techniques do not require the server to know the file ID being updated.

4 Search design

We start by describing a basic encrypted search scheme that leaks search access patterns and is only secure against an honest-but-curious attacker in §4.1. We will show how to modify our basic scheme to eliminate search access patterns




Figure 5: Search index layout for n documents with Bloom filters of length m . Updates write *rows* and searches retrieve *columns*.

in §4.2, move from an honest-but-curious to malicious threat model in §4.3, and support dynamic membership in §4.4. We show the pseudocode for the complete search protocol in the full version [36]. For simplicity, we only discuss search servers, which we assume are deployed in different trust domains, and ignore the master and filesystem servers in this section.

4.1 A strawman search index

In our initial version, clients have access to a single server. For every document, the server stores an encrypted Bloom filter corresponding to the set of keywords in the document. To update the search index for a particular document, the client computes the Bloom filter for the contents of the document and encrypts it using a one time pad unique to that update. We generate the mask for a document using a pseudorandom function (PRF) keyed with a per-folder key and the current document version number as input. The key management functionality built into the underlying filesystem ensures that every client has a copy of this PRF key.

If there are n documents in the search index and Bloom filters are m bits, then we can think of the server as storing an $n \times m$ table where each element is a single bit (Figure 5). Each row in the table is a Bloom filter for a document, and the i th row corresponds to the document with ID i . For an update, the client sends a new *row* that the server inserts into its table. This allows the client to easily modify existing documents and add new ones: the server either replaces an existing row with the new row or appends the new row to the table.

To search for a keyword, the client must find all the documents where the Bloom filter indexes corresponding to that keyword are set to “1”. The client can check this by retrieving from the server the *columns* corresponding to the Bloom filter indexes for that keyword. The client can decrypt bit b_i in a column by computing the mask for row i , extracting the mask bit corresponding to that column r_i , and then evaluating $b_i \oplus r_i$. If the i th entry in each of the decrypted columns is set to “1”, then the client marks document i as containing the keyword. In order to prevent the attacker from learning the queried keyword from the requested indexes, we compute the Bloom filter indexes using a PRF keyed with a per-folder key and the keyword as input. This key is managed by the underlying filesystem in the same way that the other PRF key is.

We note that in order for the contents of the client’s update to remain hidden from the server, the client must be able to retrieve the correct version number from the underlying filesystem.

Without this guarantee, the client could use the same mask twice, leaking information about the update contents. For this reason, we only provide security against a malicious attacker if the underlying filesystem also provides the correct version numbers (discussed in §3.4). This strawman proposal is similar to the one described in [76].

4.2 Eliminating search access patterns

To eliminate search access patterns, we need to hide from the server which columns the client is retrieving during a search. To do this, we use a private information retrieval (PIR) protocol [27, 28], which allows a client to retrieve an entry in a database from a server (1) without the server learning which entry is being retrieved, and (2) using total communication sublinear in the database size.

Tool: Distributed Point Functions (DPFs). One efficient way to implement PIR is using a distributed point function (DPF) [51] (later generalized as function secret sharing [20, 21]), which we identify as particularly well-suited for our setting. DPFs allow a client to split a point function f into *function shares* such that any strict subset of the shares reveal nothing about f , but when the evaluations at a given point x are combined, the result is $f(x)$.

A DPF is defined by the following algorithms:

- $\text{DPF.Gen}(a, b) \rightarrow (K_1, \dots, K_\ell)$: Generates keys K_1, \dots, K_ℓ that allow the ℓ servers to jointly evaluate the point function that evaluates to b at input a .
- $\text{DPF.Eval}(K_i, x) \rightarrow y$: Evaluates the function share corresponding to key K_i at server i on input x to produce output y .

To evaluate the point function f where $f(a) = b$ on some input x , the client generates keys for all ℓ servers by running $\text{DPF.Gen}(a, b)$ and sending K_i and x to server i for all ℓ servers. Server i then runs $\text{DPF.Eval}(K_i, x)$ and returns the result y_i to the client. The client can then compute $y_1 \oplus y_2 \cdots \oplus y_\ell$ to reconstruct $f(x) = y$. We make black-box use of the construction from Boyle et al. where $\ell = 2$ [21].

Leveraging DPFs to search. To hide search access patterns, we switch from having the client interact with a single server to having the client interact with ℓ servers in different trust domains that hold identical copies of the search index. To retrieve column j , the client generates shares of the point function that evaluate to all 1’s at column j and all 0’s for all other columns. The client then sends a function share to each server. Each server evaluates its function share for each column, ANDing the DPF evaluation with the contents of the column, and sends the XOR of the results back to the client. The client then assembles the responses to recover column j .

Using DPFs to retrieve columns requires a linear scan over the search index for a folder. While this is expensive asymptotically, we only aim to show efficiency for realistic workloads, motivating our decision to compress the search index using Bloom filters.

4.3 Protecting against malicious attackers

So far, we have assumed that all servers are honest-but-curious. We now show how to defend against a malicious attacker (namely, an attacker that can deviate from the protocol) that can compromise up to $\ell - 1$ of the ℓ servers. To achieve this, we need to ensure that for a search, the server evaluates the DPF on columns corresponding to the most recent updates sent by the client (not corrupted or old updates).

Strawman: MAC for every bit. We start by showing a strawman that employs MACs, but increases the bandwidth and search latency by roughly a factor of the MAC tag size (typically 256). For each update, the client additionally sends a MAC tag for every bit in the encrypted Bloom filter. The client cannot send a single tag for the row because to search, the client must retrieve individual columns rather than entire rows. We can think of the server as now storing a second table of MAC tags where each entry of this table is the tag for the corresponding entry in the original table (as in Figure 5).

We need to ensure that (1) a tag is only valid for a particular document update (to prevent replay attacks) and that (2) it cannot correspond to a different Bloom filter index. To do this, we compute the MAC over not only the single Bloom filter bit, but also the document ID, Bloom filter index, and document version number. As with the PRF key, we use the key management functionality in the underlying filesystem to ensure that every client has a copy of the MAC key.

The client now runs the DPF over the columns in both the original table and the MAC tag table. After assembling the responses from all ℓ servers, the client can check that the tag for every bit is correct. However, this increases both the bandwidth and the time to perform the linear scan over the index (i.e., the search latency) by a factor of the tag size. We identify aggregate MACs as a tool to transform this factor from a multiplicative to an additive one.

Tool: Aggregate MACs. We leverage aggregate MACs [71] to allow the servers to combine individual MAC tags into a single aggregate MAC tag. Aggregate MACs, analogous to aggregate signatures [17], allow multiple MAC tags computed with possibly different keys on multiple, possibly different messages to be aggregated into a shorter tag that can still be verified using all the keys. Notably, aggregating MAC tags does not require access to the keys.

The Katz-Lindell aggregate MAC construction [71] works as follows. To generate a MAC tag for some message m using a key k , we simply use a pseudorandom function MAC and compute $t \leftarrow \text{MAC}(k, m)$. To aggregate MAC tags t_1, \dots, t_n , the aggregator computes $T \leftarrow \oplus_{i=1}^n t_i$. To verify an aggregate MAC tag T using messages m_1, \dots, m_n and keys k_1, \dots, k_n , the verifier checks $T \stackrel{?}{=} \oplus_{i=1}^n \text{MAC}(k_i, m_i)$.

Aggregating MAC tags to improve performance. To improve performance by a factor of the tag size, we allow the servers to combine individual tags into a single aggregate tag. To search, the server evaluates the DPF on the contents of the

column and a single aggregate tag for the entire column.

Aggregating MAC tags also allows us to reduce storage space at the servers. Rather than storing an entire separate MAC table, the servers instead keep an array of aggregate tags, one for each column. On each update, the client XORs the old tag with the new tag (which is why Update takes both `prevWords` and `currWords`). By then XORing this value with the aggregate tag, the server can remove the old tag and add the new tag. To ensure that this aggregate MAC tag is maintained correctly, the server must check that the client has the latest version of the document; otherwise it rejects the update.

4.4 Supporting dynamic membership

Users might be added to or removed from a folder, requiring the new group to generate a new key. This new key might be in use at the same time that some parts of the search index were generated using an old key in order to support lazy revocation. We let the underlying filesystem handle key management, but we need to ensure that our search protocol supports multiple keys that may be active at the same time.

Decrypting search results is straightforward; to decrypt the results for an individual document, the client uses the same key from the last update to that document. Aggregating MAC tags is also simple because we can aggregate tags computed with different keys. We can remove old tags and add new tags with different keys using XOR in the same way as before.

4.5 Generalizing to oblivious filesystems

We briefly discuss how DORY is compatible with a filesystem that hides which document is being accessed within a folder, showing that DORY does not inherently require knowledge of which document is being accessed.

We can build a filesystem that hides document access patterns using PathORAM [119], which acts as an oblivious key-value store for each folder. To support multiple users, we keep an encrypted copy of the ORAM client state at the server (discussed in §7.1). Each ORAM block contains the encrypted contents of a document.

One straightforward way to search over this filesystem would be to store an inverted index in ORAM. This would hide which document is being updated, but updates would require an ORAM access for every word in the document.

Instead, we apply DORY to this filesystem. Rather than storing encrypted Bloom filters in a table as in §4.1, we store them in a second PathORAM to hide which document is being updated. We use the same techniques for supporting multiple users as in the underlying filesystem.

To perform an update, the client generates an encrypted Bloom filter as before and needs to insert it into the ORAM index. This creates a new challenge, because ORAM accesses require the client to re-encrypt other ORAM blocks, and standard symmetric key encryption breaks DORY's column alignment. To address this, we keep track of a new value shared among users for each document: the ORAM access number, which is incremented after each ORAM access. Instead of

generating PRF masks using the document’s version number, we now generate them using the document’s ORAM access number, allowing clients to safely re-encrypt Bloom filters.

To execute a search, the client still generates a DPF query for the Bloom filter indexes in question and the server still needs to perform a linear scan over the search index (we must scan over every bit in every Bloom filter). Another challenge arises, because while the order of the scan was obvious when the search index was a table, the order is less obvious for the tree structure of PathORAM. We solve this problem by traversing the tree in a fixed order to generate a table layout. The client can interpret the results by reconstructing the traversal order using the position map stored as part of the ORAM client.

5 Replication across trust domains

DORY requires that the servers processing search requests operate on the same version of the index in order for the client to receive a valid response; otherwise, the cryptographic shares from the DPF cannot be combined correctly. Because our system processes a mix of update and search requests, the servers need to agree on the index state. The client also needs to know the document version numbers corresponding to the index that the servers used to execute the search; otherwise, the client will be unable to decrypt and verify the result.

Because we are in an adversarial environment, a natural solution is to use a Byzantine fault-tolerant (BFT) consensus algorithm [1, 16, 24, 33, 77, 79] to agree on the ordering of update and search requests. Standard BFT provides the properties we need, but requires $3f + 1$ servers, each in its own trust domain, to handle f failures. A large number of trust domains is expensive to maintain and difficult to deploy, increasing the overall system cost. We make several observations about our setting that allow us to use only $f + 1$ trust domains.

Observations we leverage. We make three observations that allow us to tailor the problem of consensus to DORY:

DORY deterministically detects server misbehavior. Our cryptographic protocol already defends against malicious servers; if a server executes the client’s query incorrectly or over an incorrect version of the index, the client will detect this (triggering a manual investigation). This is a significant departure from the Byzantine fault model where failure information is imperfect. By handling server misbehavior at the cryptographic protocol layer, we can use a fail-stop rather than Byzantine failure model at the consensus layer. This and the next observations allow us to use just $f + 1$ trust domains to tolerate f failures.

Trust domains provide availability. To support search, DORY needs all $f + 1$ replicas to be available. We need to ensure that servers across multiple trust domains remain online to allow clients to search. Here we leverage the observation that for trust domains deployed in the cloud, the cloud provider is monetarily incentivized to provide availability (§2.4). This means that if a server in a trust domain fails, either it will eventually come back online or another server will take its




Figure 6: System architecture and protocol flow for updates (left) and searches (right). ❶ Client sends update to master. ❷ Master propagates updates to replicas. ❸ Client requests version number(s) from master. ❹ Client splits search request across replicas.

place; even if failures occur, $f + 1$ servers will be available again at some point in the future.

DPFs give us replication for free. The challenge now is to reinitialize the state of these failed servers. The use of DPFs in our cryptographic protocol requires all replicas to have identical copies of the search index. Normally it is unsafe to transfer state between trust domains, as the recipient has no way to verify correctness. However, because the client can check the integrity of the state used to execute a search query, we can safely copy state across trust domains. Because we have $f + 1$ servers, at least one server will always remain online to preserve the state of the index.

5.1 Algorithm

A DORY cluster contains the following entities (Figure 6):

Master: The master receives updates and manages replica state. The master stores the most recent updates and version numbers (both the overall system version number and individual document version numbers), but not the entire search index. The master can be deployed in any trust domain, as clients can detect misbehavior when verifying search results.

Replicas: The replicas receive updates from the master and perform searches from the user. The replicas store the most recent versions of the index as well as the version numbers (both the overall system version number and individual document version numbers). We must deploy ℓ replicas in ℓ different trust domains to ensure that the client can split its search request across different trust domains. However, the total number of replicas n may be greater than ℓ in order to improve fault-tolerance.

We additionally use a watchdog service (commonly available in the cloud) that periodically checks that all servers are still online and triggers recovery when it detects a crash.

Properties. Our replication algorithm should provide the following properties:

- **Correctness:** If *all* of the replicas and the master fail, a client with the correct set of document version numbers can detect this.
- **Fault-tolerance:** If at most $n - 1$ of the n replicas fail, then the search index is preserved. If the master fails, then the

most recent set of updates can be recovered with help from the client.

We do not guarantee availability if individual trust domains do not provide availability.

Algorithm. We now explain how we handle updates and searches and recover from failure (see Figure 6).

Updating a document. To update a document, the client sends the update along with the new document version number to the master. The master needs to send the update to the replicas and increment the version number. Because the master might fail while sending the update to the replicas, the master runs two-phase commit [80] with the replicas to ensure that all the replicas receive the update and associated version number. We do not need to worry about replica failures during two-phase commit (and so do not need multiple replicas in each trust domain); if a replica fails, the watchdog service will detect this and coordinate recovery as described below.

Searching for a keyword. To search for a keyword, the client first needs to learn the current version numbers from the master (both the overall system version number and the corresponding individual document version numbers). If the client has a relatively recent set of document version numbers, the master can simply send updates for a few of the document version numbers, making the overall bandwidth much smaller than the number of documents. The client then generates a search query for ℓ of the replicas. The replicas execute the search on the version of the index corresponding to the system version number sent by the client.

Coordinating recovery. We rely on the watchdog service to detect failures. If at least ℓ of the replicas across ℓ different trust domains remain online, clients can continue searching. Otherwise, we can start new replicas and transfer the state from a remaining replica to the new replica, even if the replicas are in different trust domains. This will cause a slight delay for clients waiting to search, but is safe due to the underlying cryptographic protocol (as discussed above). We do not need to worry if the master fails, because the master does not respond to the client until it has propagated the update to the replicas. If a replica fails during two-phase commit, the master can roll back the two-phase commit and then start another replica in the same trust domain and copy the state across trust domains.

5.2 Batching

Rather than running two-phase commit between the master and replicas for every update, we can apply batching to amortize the cost. Instead of immediately sending an update to the replicas, the master aggregates a batch of updates and, when this batch reaches a certain size or a certain amount of time has elapsed, it runs two-phase commit with the replicas to transfer the current batch of data.

However, now that the master is responding to clients before sending the updates to the replicas, we need to ensure that the master does not lose state when it fails. In particular, the master needs to be able to recover the updates that were waiting to be

committed to the replicas. The master does this by comparing the individual document version numbers at the replicas with those at the filesystem server. For each document where the version numbers differ, the master can request an update from the next client to come online with access to that document.

6 Implementation

We implemented DORY in $\sim 5,000$ lines of C (for the distributed point function and other low-level cryptographic operations) and Go (for the networking and consensus). We used the OpenSSL library, and our DPF implementation closely follows the one in Express [43]. We instantiate the PRF using AES. We also implemented the DORY client on an Android Google Pixel 4. In addition to the C code, which we ported to the mobile platform, we wrote $\sim 1,200$ lines of Java. We used the tiny AES library [123] to minimize memory usage in our mobile implementation. Our implementation supports a single folder and does not include the watchdog service and coordinated recovery described as part of §5 or the generalization to oblivious filesystems described in §4.5. The source code is available at <https://github.com/ucbrise/dory> (see Appendix A for details).

6.1 Parallelism

The linear scan over the search index can be easily parallelized across both cores and servers because it carries no state from document to document.

Thread-level parallelism. Since we evaluate the DPF on each column of the search index, we parallelize the scan operation by simply assigning each thread a number of columns and then combining the results computed by each thread.

Server-level parallelism. We can partition the search index by having different pairs of replicas maintain different parts of the search index. The client then sends a search query to all pairs of replicas and simply computes the union of the results. Replica partitioning improves latency since each replica now only needs to search over a part of the index instead of the full index. Each pair of replicas can store part of the search index for many folders, making it possible to keep search latency low, but the overall throughput high.

6.2 Fast PRF evaluation

In order to decrypt the search result received from the server, the client must compute a mask for each individual document. To reduce the number of PRF evaluations to decrypt, we group Bloom filter indexes for the same keyword in the same 128-bit block. This grouping allows the client to decrypt the search results for one document using a single PRF evaluation. This does not significantly impact the false positive rate of the Bloom filter because we can now model a m -bit Bloom filter storing w words as $m/128$ independent Bloom filters each storing $128w/m$ words.

7 Evaluation

We evaluated DORY to determine (1) how it performs in comparison to existing techniques and (2) whether it meets

Table 7: On the left, Bloom filter sizes (in bytes) necessary for > 1 expected false positive assuming an average of 73.18 keywords per document where each keyword hashes to 7 Bloom filter indexes (Table 7a). On the right, breakdown of search latency without parallelism and end-to-end search latency with parallelism where p is the degree of server parallelism (Table 7b).

Docs	BF size	Docs	Time breakdown, $p=1$ (ms)				End-to-end latency (ms)		
			Consensus	Client	Network	Server	$p=1$	$p=2$	$p=4$
$\leq 2^{10}$	140 B	2^{10}	0.73	0.54	58.67	2.68	62.62	61.81	61.51
$\leq 2^{11}$	160 B	2^{11}	0.73	0.87	58.41	4.11	64.12	62.39	61.89
$\leq 2^{12}$	180 B	2^{12}	0.73	1.52	57.99	7.09	67.33	64.46	62.92
$\leq 2^{13}$	200 B	2^{13}	0.73	2.80	58.74	12.03	74.30	68.08	64.78
$\leq 2^{14}$	225 B	2^{14}	0.75	5.30	77.88	26.24	110.17	75.76	68.59
$\leq 2^{15}$	250 B	2^{15}	0.76	10.18	80.59	50.97	142.50	112.71	76.76
$\leq 2^{16}$	280 B	2^{16}	0.81	19.83	100.67	108.78	230.09	147.39	115.50
$\leq 2^{17}$	315 B	2^{17}	0.86	38.99	119.38	240.45	399.48	243.43	153.56
$\leq 2^{18}$	350 B	2^{18}	1.19	76.92	142.28	527.67	748.06	428.40	256.15
$\leq 2^{19}$	390 B	2^{19}	1.78	154.37	151.98	1172.46	1480.59	800.98	454.52
$\leq 2^{20}$	435 B	2^{20}	2.81	306.34	148.96	2602.83	3060.94	1636.80	862.42

(a)

(b)

the requirements outlined by the companies we surveyed. We consider the following metrics: latency (§7.2), throughput (§7.3), storage (§7.4), bandwidth (§7.5), and cost (§7.6). We compare DORY’s performance to two different variations of DORY as well as plaintext search and a baseline built on ORAM (§7.1) that provides similar guarantees to those of DORY. We show that DORY meets the requirements outlined by the companies we surveyed and outperforms (in some cases, by orders of magnitude) our ORAM baseline (§7.1).

Experimental setup. We evaluate DORY on AWS using `r5n.4xlarge` instances with 128GB of memory and 16 CPUs for the replicas and the master. We use a `c5.large` client with 4GB of memory and 2 CPUs to model a user’s desktop machine. We use an Android Pixel 4 to measure the time to search on a mobile client. We place the two trust domains in different regions (`east-1` and `east-2`) to ensure that machines are in different clusters to model different organizations, although in practice these clusters would likely be geographically close to maximize performance. All communication occurs over TLS. We run experiments for a single folder; a real system would maintain many such folders in parallel.

System parameters from Enron email dataset. We use the Enron email dataset, which is commonly used to evaluate searchable encryption schemes [22, 65, 84, 94, 96, 97, 129] to set Bloom filter sizes for DORY. We leverage the same standard keyword extraction techniques used in Obliv [94]: we stemmed the words and removed stopwords and words that were > 20 or < 4 characters long or contained non-alphabetic characters. In the over 500K emails, each email has an average of 73.18 keywords with a standard deviation of 114.89.

Regarding the configuration of the Bloom filters, each keyword hashes to 7 locations in the Bloom filter, as we found that it provided a reasonable tradeoff between the time to perform the linear scan at the server and bandwidth. We choose the Bloom filter size based on the number of documents in a folder so that, for every search in that folder, the search results have less than one false positive document in expectation. The sizes of the Bloom filters are specified in Table 7a.

7.1 Baselines

We evaluate DORY in comparison to four baselines:

- **ORAM baseline:** Eliminates search access patterns using ORAM (expected to incur a significant overhead). With this baseline, we show how DORY compares to a solution that provides comparable security guarantees.
- **Plaintext search:** Searches over a plaintext inverted index and does not provide any security guarantees (expected to have much lower overhead than DORY).
- **Semihonest DORY:** Modifies the DORY protocol to only provide security against semihonest adversaries (expected to have lower overhead than DORY).
- **Leaky DORY:** Modifies the DORY protocol to allow search access pattern leakage by using only one trust domain and querying the replica directly for the indexes corresponding to a keyword rather than using a DPF (expected to have lower overhead than DORY).

Semihonest DORY illustrates the overhead of the MAC checks necessary to defend against malicious adversaries, and leaky DORY illustrates the overhead of the DPF queries. In all of the baselines except the ORAM baseline, we use the same consensus system as in DORY, although for the baselines where there is only one trust domain (leaky DORY and plaintext search), the master only needs to send update batches to a single trust domain (we model this by placing all servers in the same AWS region). Only the ORAM baseline has security guarantees comparable to those of DORY.

ORAM baseline. Many academic works [61, 65, 96, 116] point to an inverted index in ORAM [54, 99] as a way to achieve searchable encryption without search access pattern leakage, making it a natural baseline for searching within a folder. Traditional ORAM is designed for a single client and requires the client to maintain ORAM client state hidden from the server [119]. A separate line of work explores extending single-user constructions to multi-user settings [10, 26, 58, 91–93]. Mayberry et al.’s system [93] is particularly fit for our setting as it protects mutually trusting clients (clients with access to a given folder) from a malicious server. For a semi-honest server or for a malicious server for which we have a mechanism to

verify the data returned (discussed in §3.4), their protocol uses a single-user ORAM and requires clients to store the encrypted ORAM client at the server. To perform an operation, the client acquires a lock at the server, downloads and decrypts the ORAM client state, performs the operation, encrypts and sends back the state, releasing the lock.

Client failures. We observed that the above proposal did not consider client failures. If a client fails after issuing operations at the server but before uploading the updated client ORAM state, the next client’s access may leak search access patterns (e.g. if it searched for the same word as the previous client). To handle client failures, we require each client to record a client “prepare” operation at the server, and if it fails before completing, the next client can finish the operation.

Eliminating frequency leakage. Popular keywords require multiple ORAM blocks to store all the document identifiers containing that keyword. We need to ensure that the number of blocks accessed doesn’t leak the frequency of a keyword due to known attacks [102], as DORY does not leak this frequency. For each search, we fetch the maximum number of blocks a keyword maps to. Similarly for each keyword we update in a document, we fetch the maximum number of blocks a keyword maps to and write back a single block.

Implementation. We implemented our baseline on top of an existing open-source PathORAM implementation in Go [101].

Evaluation on Enron email dataset. While DORY’s performance relies only on the system parameters and not the contents of the documents themselves, the performance of both our ORAM and plaintext search baselines depends on document contents. We evaluate these baselines using subsets of the Enron email dataset with the same keyword extraction techniques described above. To evaluate different numbers of documents, we take different-sized subsets of the Enron email dataset. We treat updates as adding an entire email to the index. Because the Enron email dataset only has ~ 528K emails, we do not measure the ORAM and plaintext search baseline beyond that number of documents.

7.2 Latency

Update latency. Figure 8 shows that the update latency of DORY is orders of magnitude faster than that of the ORAM baseline. This holds for both the desktop and mobile clients (Figure 9). The baseline requires a number of ORAM accesses (each of which necessitates a round trip) linear in the number of document keywords. In contrast, DORY simply uploads a single encrypted Bloom filter. Update latency determines (1) how long it takes for updates to be reflected in search results and (2) how long the client must remain online. Neither is a concern in DORY where updates are processed in less than 1ms, but the ORAM baseline requires clients to remain online for hours. Note that semihonest DORY has a faster update time than DORY because the client does not have to generate a MAC for every bit in the Bloom filter.

Search latency. Table 7b shows the breakdown in search




Figure 8: Search latency and update latency. The two figures on the left use a logarithmic scale on both axes, and the figure on the top right uses a linear scale on both axes (p denotes server parallelism). The update latency of leaky DORY exactly matches that of DORY, and the search latency of semihonest DORY is slightly less than that of DORY.

Figure 9: Latency for mobile client and desktop client. Both plots use a logarithmic scale on both axes.

latency. As the number of documents increases, the majority of time is spent performing the linear scan at the server. This is apparent in Figure 8, where leaky DORY’s search latency is significantly lower than that of DORY and stays relatively constant as the number of documents increases due to the fact that leaky DORY does not need to perform a linear scan.

Despite overheads incurred due to the linear scan, DORY is orders of magnitude faster than the ORAM baseline. The MAC overhead to protect against malicious adversaries is barely noticeable, as semihonest DORY and DORY have almost identical search latencies. Mobile clients incur additional overhead in comparison to desktop clients (the mobile client spends 5 seconds on client-side processing for 1M documents). This overhead is below 1 second for 2¹⁷ documents (Figure 9).

By increasing the degree of parallelism p and partitioning the search index across replica groups, we can reduce the server time by roughly a factor of p , as this time is linear in the number of documents (Figure 8). Parallelism allows us to reach the target latency set by the companies (Table 2).

7.3 Throughput

DORY achieves significantly higher throughput than the ORAM baseline (Figure 10). Parallelism improves DORY’s




Figure 10: Throughput under a variety of workloads (U indicates updates, S indicates searches). The performance of semihonest DORY closely matches that of DORY. All plots use a logarithmic scale on both axes.




Figure 11: Effect of parallelism (p denotes the degree of parallelism) on throughput for different workloads (U indicates updates, S indicates searches).

throughput by roughly a factor of p for larger numbers of documents (Figure 11). Relative to other workloads, DORY performs best under update-heavy workloads (updates require an insertion while searches require a linear scan), and the ORAM baseline performs best under search-heavy workloads (searches require fewer ORAM accesses than updates).

7.4 Storage

Server state. Figure 12 shows how DORY uses substantially less storage space at the server than the ORAM baseline and storage space comparable to that of a plaintext inverted index. DORY’s index continues to grow at a constant rate for large numbers of documents while the index for plaintext search grows more slowly, making the plaintext search index smaller than the DORY search index for larger numbers of documents.

Client state. DORY only requires that the client store three 128-bit keys. To generate an update or decrypt a search result, the client also needs to know the version number for each document. To minimize bandwidth, the client can optionally cache the latest version numbers so that it only needs to retrieve the version numbers that changed. For 45K documents (the highest average number of documents per user among the companies we surveyed), storing these version numbers would require 175.8KB. For 1M documents, storing these would require 3.84MB. Our ORAM baseline only requires the client to store a single 128-bit AES key to encrypt and decrypt the ORAM client, and plaintext search requires no client storage.




Figure 12: Storage space and bandwidth for DORY in comparison to other baselines. The update bandwidth of leaky DORY exactly matches that of DORY, and the search bandwidth of semihonest DORY is slightly less than that of DORY.

7.5 Bandwidth

Search and update bandwidth is also much smaller in DORY than in the ORAM baseline (Figure 12). The ORAM baseline incurs a significant overhead by sending the encrypted client state, but ORAM accesses are responsible for the majority of the communication. In contrast, the search bandwidth in DORY is linear in the number of documents, and the update bandwidth depends on the size of the Bloom filter. MACs are responsible for a significant part of the update bandwidth in DORY, which is why semihonest DORY has much lower update bandwidth. The difference in search bandwidth between leaky DORY and DORY is due to the size of the DPF keys; however, unlike plaintext search, the search bandwidth for both is still linear in the number of documents. We do not include the bandwidth to retrieve version numbers for individual document numbers in DORY, as these version numbers can for the most part be cached at the client as described above.

Comparison to client index. To evaluate the practicality of a client-side index instead of DORY, we built an inverted index over the Enron email dataset using a B+ tree. We found that the index is 159.9MB and while it is feasible to store this amount of data, even on a mobile device, synchronization requires significant bandwidth. One way to keep this data structure updated would be to require each client to download the contents of every update. However, this solution requires the same amount of bandwidth as syncing all the files locally, which we were trying to avoid in the first place. Instead, we could keep an encrypted copy of the client index at the server. Which part of the index is updated leaks information about the document contents, and so whenever a client performs an update, it must encrypt the entire index and send it to the server. Before a client updates or searches, it must download the most recent copy of the search index. This results in roughly a 365× increase in search bandwidth and a 3,334× increase in update bandwidth in comparison to DORY.

7.6 Cost

The companies we surveyed estimated a workload with 50% updates and 50% searches, and the highest average number of documents per user reported was 45K. The throughput of two replicas and a master operating on a folder of 45K documents under this workload is 19.5 operations/second. One of the companies reported that active users make roughly 50 updates per day, and so based on 100 operations per day and the cost to run a single `r5n.4xlarge` instance (\$1.192/hour), each user costs roughly \$0.0509 per month, well under the maximum permissible cost per user per month of \$0.70-\$5.54 reported by the companies. Depending on the way in which trust is distributed (see §2.4), trust domains may incur additional setup and maintenance costs not captured by our calculation.

8 Related Work

Symmetric Searchable Encryption (SSE). A long line of work has examined the problem of Symmetric Searchable Encryption (SSE) [23, 25, 35, 37–40, 50, 52, 67, 68, 97, 111, 114, 116], summarized in the following surveys [18, 59, 103]. Many of these schemes assume a single user and do not support efficient revocation, but more importantly, they permit some search access pattern leakage, opening the door to attacks [22, 65, 72, 84, 102, 106, 129]. SEAL [39] explicitly allows developers to tradeoff between leakage and performance.

Multi-server SSE and ORAM. Some SSE schemes use multiple servers to improve efficiency but still permit leakage, with some providing richer functionality than simple keyword search [15, 45, 64, 78, 100, 108]. Bösch et al. [19] and Hoang et al. [62] use multiple servers to hide search access patterns and improve efficiency. Hoang et al. [62] use a similar table layout where updates and searches correspond to different dimensions in the table. However, both schemes do not support multiple users, assume honest-but-curious servers, and require expensive updates to hide the document being updated. Our scheme also has similarities to distributed ORAM schemes that leverage multiple servers to hide access patterns with improved efficiency [3, 42, 55, 89, 117]. Implementing search with one of these schemes would still require clients to perform an ORAM access for every document keyword during an update.

Multi-user SSE and ORAM. Many existing multi-user searchable encryption schemes that support fast revocation use a different key for each user and leverage proxy encryption [8, 13] or pairings [13, 74, 104, 122]. This class of schemes use deterministic query encryption algorithms that leak search access patterns. The most efficient ORAM constructions assume a single user, with multi-user ORAMs incurring a much larger overhead by leveraging expensive tools such as multi-party computation (MPC) [10, 26, 58, 91, 92].

SSE and ORAM with trusted hardware. One way to improve performance and, in the case of search, potentially reduce leakage is by leveraging trusted hardware. ZeroTrace [113], Obliviate [5], OblIDB [44], GhostRider [83], Tiny ORAM [46],

and Shroud [87] combine oblivious techniques with trusted hardware. HardIDX [49], Oblix [94], POSUP [60], and Amjad et al. [6] use trusted hardware specifically for the problem of searching on encrypted data. Unlike DORY, such solutions only require a single server, but they necessitate both additional trust assumptions (due to known side-channel attacks) and additional deployment costs.

Prior use of DPFs in systems. Splinter [125] uses function secret sharing (both DPFs and range queries) to allow users to efficiently make private queries on a public, immutable database. DURASIFT [45] uses DPFs with MPC across multiple servers to support boolean expressions of keyword searches for multiple users without leaking search access patterns. However, its techniques incur significant overhead in comparison to ours, and the authors consider thousands rather than millions of documents. Floram [42] uses DPFs to implement a distributed-trust ORAM that has linear costs but fast concrete performance. Metadata-hiding communication also benefits from DPFs (e.g. Riposte [32] and Express [43]).

BFT consensus and fault-tolerance. BFT consensus [1, 16, 24, 33, 77] is a classical problem. Prior work has explored reducing the number of participants in BFT consensus by separating agreement from execution [127], only activating some nodes when failures are detected [41, 69, 126], relaxing synchrony assumptions [2, 85, 105], adopting a hybrid fault model [105], and using an attested, append-only log [29]. A separate line of theoretical work considers Byzantine fault-tolerance specifically for the case of private information retrieval [12, 14, 47, 120] using information-theoretic tools.

Oblivious systems. ObliviStore [118], Obladi [34], Opaque [130], Cipherbase [7], and Taostore [112] are practical systems for obliviously storing and querying data (not necessarily for the problem of searchable encryption).

9 Conclusion

DORY is an encrypted search system that distributes trust to meet real-world efficiency and security requirements. By reexamining the system model, we are able to build a system that is performant without leaking search access patterns.

Acknowledgments. We would like to thank Zoë Bohn, Henry Corrigan-Gibbs, Ioannis Demertzis, Saba Eskandarian, Vivian Fang, David Mazières, Rishabh Poddar, and Wenting Zheng for providing feedback on early drafts. We also thank the leadership of Keybase, PreVeil, SpiderOak, Sync, and Tresorit for generously taking the time to meet with us and discuss their use cases. We thank the OSDI anonymous reviewers for their detailed feedback, and our shepherd Andreas Haeberlen for his working reviewing our camera-ready. This work was supported in part by the NSF CISE Expeditions Award CCF-1730628, and gifts from the Sloan Foundation, Bakar Program, Alibaba, Amazon Web Services, Ant Financial, Capital One, Ericsson, Facebook, Futurewei, Google, Intel, Microsoft, Nvidia, Scotiabank, Splunk, and VMware. This work was also supported by a NSF GRFP fellowship.

References

- [1] M. Abd-El-Malek, G. R. Ganger, G. R. Goodson, M. K. Reiter, and J. J. Wylie. Fault-scalable byzantine fault-tolerant services. *SOSP*, 39(5):59–74, 2005.
- [2] I. Abraham, S. Devadas, D. Dolev, K. Nayak, and L. Ren. Efficient synchronous byzantine consensus. *arXiv preprint arXiv:1704.02397*, 2017.
- [3] I. Abraham, C. W. Fletcher, K. Nayak, B. Pinkas, and L. Ren. Asymptotically tight bounds for composing ORAM with PIR. In *PKC*, pages 91–120. Springer, 2017.
- [4] S. Ackerman. Lavabit email service abruptly shut down citing government interference, 2013. <https://www.theguardian.com/technology/2013/aug/08/lavabit-email-shut-down-edward-snowden>.
- [5] A. Ahmad, K. Kim, M. I. Sarfaraz, and B. Lee. OBLIVIAE: A Data Oblivious Filesystem for Intel SGX. In *NDSS*, 2018.
- [6] G. Amjad, S. Kamara, and T. Moataz. Forward and backward private searchable encryption with SGX. In *Proceedings of the 12th European Workshop on Systems Security*, pages 1–6, 2019.
- [7] A. Arasu, S. Blanas, K. Eguro, R. Kaushik, D. Kossmann, R. Ramamurthy, and R. Venkatesan. Orthogonal security with cipherbase. In *CIDR*, 2013.
- [8] M. R. Asghar, G. Russello, B. Crispo, and M. Ion. Supporting complex queries and access policies for multi-user encrypted databases. In *Workshop on Cloud computing security workshop*, pages 77–88. ACM, 2013.
- [9] M. Backes, C. Cachin, and A. Oprea. Secure key-updating for lazy revocation. In *ESORICS*, pages 327–346. Springer, 2006.
- [10] M. Backes, A. Herzberg, A. Kate, and I. Piryvalov. Anonymous ram. In *ESORICS*, pages 344–362. Springer, 2016.
- [11] M. Bailleu, J. Thalheim, P. Bhatotia, C. Fetzer, M. Honda, and K. Vaswani. {SPEICHER}: Securing lsm-based key-value stores using shielded execution. In *FAST*, pages 173–190, 2019.
- [12] K. Banawan and S. Ulukus. The capacity of private information retrieval from byzantine and colluding databases. *IEEE Transactions on Information Theory*, 65(2):1206–1219, 2018.
- [13] F. Bao, R. H. Deng, X. Ding, and Y. Yang. Private query on encrypted data in multi-user settings. In *Information Security Practice and Experience*, pages 71–85. Springer, 2008.
- [14] A. Beimel and Y. Stahl. Robust information-theoretic private information retrieval. In *International Conference on Security in Communication Networks*, pages 326–341. Springer, 2002.
- [15] S. M. Bellovin and W. R. Cheswick. Privacy-enhanced searches using encrypted bloom filters. *IACR Cryptology ePrint Archive*, 2007.
- [16] A. Bessani, J. Sousa, and E. E. Alchieri. State machine replication for the masses with BFT-SMaRt. In *2014 44th Annual IEEE/IFIP International Conference on Dependable Systems and Networks*, pages 355–362. IEEE, 2014.
- [17] D. Boneh, C. Gentry, B. Lynn, and H. Shacham. Aggregate and verifiably encrypted signatures from bilinear maps. In *EUROCRYPT*, pages 416–432. Springer, 2003.
- [18] C. Bösch, P. Hartel, W. Jonker, and A. Peter. A survey of provably secure searchable encryption. *ACM Computing Surveys (CSUR)*, 47(2):1–51, 2014.
- [19] C. Bösch, A. Peter, B. Leenders, H. W. Lim, Q. Tang, H. Wang, P. Hartel, and W. Jonker. Distributed searchable symmetric encryption. In *PST*, pages 330–337. IEEE, 2014.
- [20] E. Boyle, N. Gilboa, and Y. Ishai. Function secret sharing. In *EUROCRYPT*, pages 337–367. Springer, 2015.
- [21] E. Boyle, N. Gilboa, and Y. Ishai. Function secret sharing: Improvements and extensions. In *CCS*, pages 1292–1303. ACM, 2016.
- [22] D. Cash, P. Grubbs, J. Perry, and T. Ristenpart. Leakage-abuse attacks against searchable encryption. In *CCS*, pages 668–679. ACM, 2015.
- [23] D. Cash, J. Jaeger, S. Jarecki, C. S. Jutla, H. Krawczyk, M.-C. Rosu, and M. Steiner. Dynamic searchable encryption in very-large databases: data structures and implementation. In *NDSS*, volume 14, pages 23–26. Citeseer, 2014.
- [24] M. Castro, B. Liskov, et al. Practical byzantine fault tolerance. In *OSDI*, volume 99, pages 173–186, 1999.
- [25] Y.-C. Chang and M. Mitzenmacher. Privacy preserving keyword searches on remote encrypted data. In *ASIACRYPT*, pages 442–455. Springer, 2005.
- [26] W. Chen and R. A. Popa. Metal: A metadata-hiding file sharing system. In *NDSS*, 2020.
- [27] B. Chor, O. Goldreich, E. Kushilevitz, and M. Sudan. Private information retrieval. In *FOCS*, pages 41–50. IEEE, 1995.
- [28] B. Chor, O. Goldreich, E. Kushilevitz, and M. Sudan. Private information retrieval. *Journal of the ACM*, 45(6):965–982, 1998.
- [29] B.-G. Chun, P. Maniatis, S. Shenker, and J. Kubiatowicz. Attested append-only memory: Making adversaries stick to their word. *ACM SIGOPS Operating Systems Review*, 41(6):189–204, 2007.
- [30] W. Cohen. Enron email dataset, 2015. <http://www.cs.cmu.edu/~enron/>.
- [31] H. Corrigan-Gibbs and D. Boneh. Prio: Private, robust, and scalable computation of aggregate statistics. In *NSDI*, pages 259–282, 2017.
- [32] H. Corrigan-Gibbs, D. Boneh, and D. Mazières. Riposte: An anonymous messaging system handling millions of users. In *Security & Privacy*, pages 321–338. IEEE, 2015.
- [33] J. Cowling, D. Myers, B. Liskov, R. Rodrigues, and L. Shrira. HQ replication: A hybrid quorum protocol for byzantine fault tolerance. In *OSDI*, pages 177–190, 2006.
- [34] N. Crooks, M. Burke, E. Cecchetti, S. Harel, R. Agarwal, and L. Alvisi. Obladi: Oblivious serializable transactions in the cloud. In *OSDI*, pages 727–743, 2018.
- [35] R. Curtmola, J. Garay, S. Kamara, and R. Ostrovsky. Searchable symmetric encryption: improved definitions and efficient constructions. *Journal of Computer Security*, 19(5):895–934, 2011.
- [36] E. Dauterman, E. Feng, E. Luo, R. A. Popa, and I. Stoica. DORY: An encrypted search system with distributed trust. *IACR Cryptology ePrint Archive*, 2020:1280, 2020.
- [37] I. Demertzis, J. G. Chamani, D. Papadopoulos, and C. Papamanthou. Dynamic searchable encryption with small client storage. In *NDSS*, 2020.
- [38] I. Demertzis, D. Papadopoulos, and C. Papamanthou. Searchable encryption with optimal locality: Achieving sublogarithmic read efficiency. In *CRYPTO*, 2018.
- [39] I. Demertzis, D. Papadopoulos, C. Papamanthou, and S. Shintre. SEAL: Attack mitigation for encrypted databases via adjustable leakage. In *USENIX Security*, 2020.
- [40] I. Demertzis and C. Papamanthou. Fast searchable encryption with tunable locality. In *SIGMOD*, 2017.

- [41] T. Distler, C. Cachin, and R. Kapitza. Resource-efficient byzantine fault tolerance. *IEEE transactions on computers*, 65(9):2807–2819, 2015.
- [42] J. Doerner and A. Shelat. Scaling oram for secure computation. In *CCS*, pages 523–535. ACM, 2017.
- [43] S. Eskandarian, H. Corrigan-Gibbs, M. Zaharia, and D. Boneh. Express: Lowering the cost of metadata-hiding communication with cryptographic privacy. *arXiv preprint arXiv:1911.09215*, 2019.
- [44] S. Eskandarian and M. Zaharia. OblIDB: oblivious query processing for secure databases. *VLDB*, 13(2):169–183, 2019.
- [45] B. H. Falk, S. Lu, and R. Ostrovsky. Durasift: A robust, decentralized, encrypted database supporting private searches with complex policy controls. In *WPES*, pages 26–36, 2019.
- [46] C. W. Fletcher, L. Ren, A. Kwon, M. Van Dijk, E. Stefanov, D. Serpanos, and S. Devadas. A low-latency, low-area hardware oblivious RAM controller. In *FCCM*, pages 215–222. IEEE, 2015.
- [47] R. Freij-Hollanti, O. W. Gnilke, C. Hollanti, and D. A. Karpuk. Private information retrieval from coded databases with colluding servers. *SIAM Journal on Applied Algebra and Geometry*, 1(1):647–664, 2017.
- [48] K. E. Fu. *Group sharing and random access in cryptographic storage file systems*. PhD thesis, Massachusetts Institute of Technology, 1999.
- [49] B. Fuhry, R. Bahmani, F. Brasser, F. Hahn, F. Kerschbaum, and A.-R. Sadeghi. HardIDX: Practical and secure index with SGX. In *IFIP Annual Conference on Data and Applications Security and Privacy*, pages 386–408. Springer, 2017.
- [50] S. Garg, P. Mohassel, and C. Papamanthou. Tworam: efficient oblivious ram in two rounds with applications to searchable encryption. In *CRYPTO*, pages 563–592. Springer, 2016.
- [51] N. Gilboa and Y. Ishai. Distributed point functions and their applications. In *EUROCRYPT*, pages 640–658. Springer, 2014.
- [52] E.-J. Goh et al. Secure indexes. *IACR Cryptology ePrint Archive*, 2003:216, 2003.
- [53] E.-J. Goh, H. Shacham, N. Modadugu, and D. Boneh. Sirius: Securing remote untrusted storage. In *NDSS*, volume 3, pages 131–145, 2003.
- [54] O. Goldreich and R. Ostrovsky. Software protection and simulation on oblivious RAMs. *Journal of the ACM (JACM)*, 43(3):431–473, 1996.
- [55] S. D. Gordon, J. Katz, and X. Wang. Simple and efficient two-server ORAM. In *ASIACRYPT*, pages 141–157. Springer, 2018.
- [56] D. Grolimund, L. Meisser, S. Schmid, and R. Wattenhofer. Cryptree: A folder tree structure for cryptographic file systems. In *SRDS*, pages 189–198. IEEE, 2006.
- [57] P. Grubbs, T. Ristenpart, and V. Shmatikov. Why your encrypted database is not secure. In *HotOS*, pages 162–168, 2017.
- [58] A. Hamlin, R. Ostrovsky, M. Weiss, and D. Wichs. Private anonymous data access. In *EUROCRYPT*, pages 244–273. Springer, 2019.
- [59] A. Hamlin, N. Schear, E. Shen, M. Varia, S. Yakubov, and A. Yerukhimovich. *Cryptography for big data security*. Taylor & Francis LLC, CRC Press, 2016.
- [60] T. Hoang, M. O. Ozmen, Y. Jang, and A. A. Yavuz. Hardware-supported ORAM in effect: Practical oblivious search and update on very large dataset. *PETS*, (1):172–191, 2019.
- [61] T. Hoang, A. A. Yavuz, F. B. Durak, and J. Guajardo. Oblivious dynamic searchable encryption on distributed cloud systems. In *IFIP Annual Conference on Data and Applications Security and Privacy*, pages 113–130. Springer, 2018.
- [62] T. Hoang, A. A. Yavuz, and J. Guajardo. Practical and secure dynamic searchable encryption via oblivious access on distributed data structure. In *CCS*, pages 302–313. ACM, 2016.
- [63] Y. Hu, S. Kumar, and R. A. Popa. Ghostor: Toward a secure data-sharing system from decentralized trust. In *NSDI*, pages 851–877, 2020.
- [64] Y. Ishai, E. Kushilevitz, S. Lu, and R. Ostrovsky. Private large-scale databases with distributed searchable symmetric encryption. In *Cryptographers’ Track at the RSA Conference*, pages 90–107. Springer, 2016.
- [65] M. S. Islam, M. Kuzu, and M. Kantarcioglu. Access pattern disclosure on searchable encryption: Ramification, attack and mitigation. In *NDSS*, volume 20, page 12. Citeseer, 2012.
- [66] M. Kallahalla, E. Riedel, R. Swaminathan, Q. Wang, and K. Fu. Plutus: Scalable secure file sharing on untrusted storage. In *FAST*, volume 3, pages 29–42, 2003.
- [67] S. Kamara and C. Papamanthou. Parallel and dynamic searchable symmetric encryption. In *Financial Cryptography and Data Security*, pages 258–274. Springer, 2013.
- [68] S. Kamara, C. Papamanthou, and T. Roeder. Dynamic searchable symmetric encryption. In *CCS*, pages 965–976. ACM, 2012.
- [69] R. Kapitza, J. Behl, C. Cachin, T. Distler, S. Kuhnle, S. V. Mohammadi, W. Schröder-Preikschat, and K. Stengel. CheapBFT: resource-efficient byzantine fault tolerance. In *EuroSys*, pages 295–308, 2012.
- [70] N. Karapanos, A. Filios, R. A. Popa, and S. Capkun. Verena: End-to-end integrity protection for web applications. In *security & Privacy*, pages 895–913. IEEE, 2016.
- [71] J. Katz and A. Y. Lindell. Aggregate message authentication codes. In *Cryptographers’ Track at the RSA Conference*, pages 155–169, 2008.
- [72] G. Kellaris, G. Kollios, K. Nissim, and A. O’neill. Generic attacks on secure outsourced databases. In *CCS*, pages 1329–1340, 2016.
- [73] Keybase. <https://keybase.io/>, Accessed 26 May 2020.
- [74] A. Kiayias, O. Oksuz, A. Russell, Q. Tang, and B. Wang. Efficient encrypted keyword search for multi-user data sharing. In *ESORICS*, pages 173–195. Springer, 2016.
- [75] B. H. Kim and D. Lie. Caelus: Verifying the consistency of cloud services with battery-powered devices. In *Security & Privacy*, pages 880–896. IEEE, 2015.
- [76] S. Korokithakis. Writing a full-text search engine using bloom filters, December 2013. <https://www.stavros.io/posts/bloom-filter-search-engine/>.
- [77] R. Kotla, L. Alvisi, M. Dahlin, A. Clement, and E. Wong. Zyzzyva: speculative byzantine fault tolerance. *SOSP*, 41(6):45–58, 2007.
- [78] M. Kuzu, M. S. Islam, and M. Kantarcioglu. Efficient similarity search over encrypted data. In *2012 IEEE 28th International Conference on Data Engineering*, pages 1156–1167. IEEE, 2012.
- [79] L. Lamport, R. Shostak, and M. Pease. The byzantine generals problem. *ACM Transactions on Programming Languages and Systems*, 4(3):382–401, 1982.

- [80] B. Lampson and D. B. Lomet. A new presumed commit optimization for two phase commit. In *VLDB*, volume 93, pages 630–640, 1993.
- [81] A. Langley, E. Kasper, and B. Laurie. Certificate transparency. *Internet Engineering Task Force*, 2013. <https://tools.ietf.org/html/rfc6962>.
- [82] J. Li, M. N. Krohn, D. Mazieres, and D. E. Shasha. Secure untrusted data repository (SUNDR). In *OSDI*, volume 4, pages 9–9, 2004.
- [83] C. Liu, A. Harris, M. Maas, M. Hicks, M. Tiwari, and E. Shi. GhostRider: A hardware-software system for memory trace oblivious computation. *ASPLOS*, 50(4):87–101, 2015.
- [84] C. Liu, L. Zhu, M. Wang, and Y.-A. Tan. Search pattern leakage in searchable encryption: Attacks and new construction. *Information Sciences*, 265:176–188, 2014.
- [85] S. Liu, P. Viotti, C. Cachin, V. Quéma, and M. Vukolić. {XFT}: Practical fault tolerance beyond crashes. In *OSDI*, pages 485–500, 2016.
- [86] M. Likhava, G. Losa, D. Mazières, G. Hoare, N. Barry, E. Gafni, J. Jove, R. Malinowsky, and J. McCaleb. Fast and secure global payments with stellar. In *SOSP*, pages 80–96, 2019.
- [87] J. R. Lorch, B. Parno, J. Mickens, M. Raykova, and J. Schiffman. Shroud: Ensuring private access to large-scale data in the data center. In *FAST*, pages 199–213, 2013.
- [88] T. Lovell. Swedish healthcare advice line stored 2.7 million patient phone calls on unprotected web server, February 20 2019. <https://www.healthcareitnews.com/news/swedish-healthcare-advice-line-stored-27-million-patient-phone-calls-unprotected-web-server>.
- [89] S. Lu and R. Ostrovsky. Distributed oblivious RAM for secure two-party computation. In *TCC*, pages 377–396. Springer, 2013.
- [90] E. MacBrough. Cobalt: BFT governance in open networks. *arXiv preprint arXiv:1802.07240*, 2018.
- [91] M. Maffei, G. Malavolta, M. Reinert, and D. Schröder. Privacy and access control for outsourced personal records. In *Security & Privacy*, pages 341–358. IEEE, 2015.
- [92] M. Maffei, G. Malavolta, M. Reinert, and D. Schröder. Maliciously secure multi-client oram. In *ACNS*, pages 645–664. Springer, 2017.
- [93] T. Mayberry, E.-O. Blass, and G. Noubir. Multi-User Oblivious RAM Secure Against Malicious Servers. *IACR Cryptology ePrint Archive*, 2015:121, 2015.
- [94] P. Mishra, R. Poddar, J. Chen, A. Chiesa, and R. A. Popa. Oblix: An efficient oblivious search index. In *Security & Privacy*, pages 279–296. IEEE, 2018.
- [95] E. Nakashima. Russian government hackers penetrated DNC, stole opposition research on Trump, June 14 2016. https://www.washingtonpost.com/world/national-security/russian-government-hackers-penetrated-dnc-stole-opposition-research-on-trump/2016/06/14/cf006cb4-316e-11e6-8ff7-7b6c1998b7a0_story.html.
- [96] M. Naveed. The Fallacy of Composition of Oblivious RAM and Searchable Encryption. *IACR Cryptology ePrint Archive*, 2015:668, 2015.
- [97] M. Naveed, M. Prabhakaran, and C. A. Gunter. Dynamic searchable encryption via blind storage. In *Security & Privacy*, pages 639–654. IEEE, 2014.
- [98] C. Osborne. Fortune 500 company leaked 264gb of client, payment data, June 7 2019. <https://www.zdnet.com/article/veteran-fortune-500-company-leaked-264gb-in-client-payment-data/>.
- [99] R. Ostrovsky. Efficient computation on oblivious RAMs. In *STOC*, pages 514–523. ACM, 1990.
- [100] V. Pappas, M. Raykova, B. Vo, S. M. Bellovin, and T. Malkin. Private search in the real world. In *ACSAC*, pages 83–92, 2011.
- [101] <https://github.com/aricrocuta/oram2pc>, Accessed 14 April 2020.
- [102] R. Poddar, S. Wang, J. Lu, and R. A. Popa. Practical volume-based attacks on encrypted databases. 2020.
- [103] G. S. Poh, J.-J. Chin, W.-C. Yau, K.-K. R. Choo, and M. S. Mohamad. Searchable symmetric encryption: designs and challenges. *ACM Computing Surveys (CSUR)*, 50(3):1–37, 2017.
- [104] R. A. Popa and N. Zeldovich. Multi-key searchable encryption. *IACR Cryptology ePrint Archive*, 2013:508, 2013.
- [105] D. Porto, J. Leitão, C. Li, A. Clement, A. Kate, F. Junqueira, and R. Rodrigues. Visigoth fault tolerance. In *EuroSys*, pages 1–14, 2015.
- [106] D. Pouliot and C. V. Wright. The shadow nemesis: Inference attacks on efficiently deployable, efficiently searchable encryption. In *CCS*, pages 1341–1352, 2016.
- [107] Preveil. <https://www.preveil.com/>, Accessed 26 May 2020.
- [108] M. Raykova, B. Vo, S. M. Bellovin, and T. Malkin. Secure anonymous database search. In *Workshop on Cloud computing security*, pages 115–126, 2009.
- [109] C. Reichert. Payroll data for 29,000 facebook employees stolen, December 13 2019. <https://www.cnet.com/news/payroll-data-of-29000-facebook-employees-reportedly-stolen/>.
- [110] E. Riedel, M. Kallahalla, and R. Swaminathan. A framework for evaluating storage system security. In *FAST*, volume 2, pages 15–30, 2002.
- [111] P. Rizomiliotis and S. Gritzalis. ORAM based forward privacy preserving dynamic searchable symmetric encryption schemes. In *Proceedings of the 2015 ACM Workshop on Cloud Computing Security Workshop*, pages 65–76. ACM, 2015.
- [112] C. Sahin, V. Zakhary, A. El Abbadi, H. Lin, and S. Tessaro. Taostore: Overcoming asynchronicity in oblivious data storage. In *Security & Privacy*, pages 198–217. IEEE, 2016.
- [113] S. Sasy, S. Gorbunov, and C. W. Fletcher. ZeroTrace: Oblivious Memory Primitives from Intel SGX. *IACR ePrint*, 2017:549, 2017.
- [114] D. X. Song, D. Wagner, and A. Perrig. Practical techniques for searches on encrypted data. In *Security & Privacy*, pages 44–55. IEEE, 2000.
- [115] Spideroak. <https://spideroak.com/>, Accessed 26 May 2020.
- [116] E. Stefanov, C. Papamanthou, and E. Shi. Practical dynamic searchable encryption with small leakage. In *NDSS*, volume 71, pages 72–75, 2014.
- [117] E. Stefanov and E. Shi. Multi-cloud oblivious storage. In *CCS*, pages 247–258. ACM, 2013.
- [118] E. Stefanov and E. Shi. Oblivstore: High performance oblivious cloud storage. In *Security & Privacy*, pages 253–267. IEEE, 2013.
- [119] E. Stefanov, M. Van Dijk, E. Shi, C. Fletcher, L. Ren, X. Yu, and S. Devadas. Path ORAM: an extremely simple oblivious RAM protocol. In *CCS*, pages 299–310. ACM, 2013.

- [120] H. Sun and S. A. Jafar. The capacity of robust private information retrieval with colluding databases. *IEEE Transactions on Information Theory*, 64(4):2361–2370, 2017.
- [121] Sync. <https://www.sync.com/>, Accessed 26 May 2020.
- [122] Q. Tang. Nothing is for free: security in searching shared and encrypted data. *Transactions on Information Forensics and Security*, 9(11):1943–1952, 2014.
- [123] Tiny AES in C. <https://github.com/kokke/tiny-AES-c>, Accessed 24 May 2020.
- [124] Tresorit. <https://tresorit.com/>, Accessed 26 May 2020.
- [125] F. Wang, C. Yun, S. Goldwasser, V. Vaikuntanathan, and M. Zaharia. Splinter: Practical private queries on public data. In *NSDI*, pages 299–313, 2017.
- [126] T. Wood, R. Singh, A. Venkataramani, P. Shenoy, and E. Cecchet. ZZ and the art of practical BFT execution. In *Proceedings of the sixth conference on Computer systems*, pages 123–138, 2011.
- [127] J. Yin, J.-P. Martin, A. Venkataramani, L. Alvisi, and M. Dahlin. Separating agreement from execution for byzantine fault tolerant services. In *SOSP*, pages 253–267, 2003.
- [128] E. Yuan. Zoom acquires keybase and announces goal of developing the most broadly used enterprise end-to-end encryption offering, May 7 2020. <https://blog.zoom.us/wordpress/2020/05/07/zoom-acquires-keybase-and-announces-goal-of-developing-the-most-broadly-used-enterprise-end-to-end-encryption-offering/>.
- [129] Y. Zhang, J. Katz, and C. Papamanthou. All your queries are belong to us: The power of file-injection attacks on searchable encryption. In *USENIX Security*, pages 707–720, 2016.
- [130] W. Zheng, A. Dave, J. G. Beekman, R. A. Popa, J. E. Gonzalez, and I. Stoica. Opaque: An oblivious and encrypted distributed analytics platform. In *NSDI*, pages 283–298, 2017.

A Artifact Appendix

A.1 Abstract

Our DORY prototype is an encrypted search system that splits trust between multiple servers in order to efficiently hide search access patterns from a malicious attacker that controls all but one of the servers. We support parallelism across multiple servers in order to reduce search latency and increase throughput. DORY is written in a combination of C (for the distributed point function and other low-level cryptographic primitives) and Go (for the networking and consensus) for approximately 5,000 lines of code. Our experiment scripts use AWS EC2 instances. Our artifact is available here:

<https://github.com/ucbrise/dory>

A.2 Artifact check-list

- **Data set:** Enron email dataset used to choose system parameters and set sample documents.
- **Metrics:** Latency, throughput
- **Experiments:** Search latency breakdown, search latency with parallelism, search throughput with parallelism
- **Required disk space:** 18MB
- **Expected experiment run time:** Approximately 4 hours
- **Public link:** <https://github.com/ucbrise/dory>
- **Code licenses:** Apache v2

A.3 Description

A.3.1 How to access

Our Amazon AWS AMI is public (the AMI IDs for different regions are set in our scripts). See Appendix A.4 for instructions on running scripts for configuring security groups and the key pair as well as starting a cluster.

A.3.2 Software dependencies

We use the hashicorp msgpack library (<https://github.com/hashicorp/go-msgpack>) for parsing messages and libstemmer (<http://snowball.tartarus.org/download.html>) for stemming keywords. We build on the DPF implementation in Express [43] (<https://github.com/SabaEskandarian/Express>). We also use the OpenSSL library for low-level cryptographic primitives.

A.3.3 Data sets

The Bloom filter size in our experiments is based on statistics from the Enron email dataset [30] (see Table 7a). The sample documents to interactively search over in `sample_docs/` are also from the Enron email dataset.

A.4 Installation

The instructions for setting up the Amazon AWS security groups and key pair are available here: <https://github.com/ucbrise/dory#setting-up-aws-security-groups-and-keypairs>. The instructions for starting a cluster of EC2 instances using our public AMIs are available here: <https://github.com/ucbrise/dory#setup>. We use `r5n.4xlarge` instances in different regions that are geographically close (`east-1` and `east-2`). We also provide instructions for building from source here: <https://github.com/ucbrise/dory#building-from-source>.

A.5 Experiment workflow

To start running experiments, the reviewer should first create a cluster (Appendix A.4). Each figure (or group of figures) reproduced has a corresponding script to run the experiment. Each figure reproduced has another script to plot the data collected. Details are available here: <https://github.com/ucbrise/dory#running-experiments>. After running experiments, the reviewer should teardown the cluster following instructions here: <https://github.com/ucbrise/dory#setup>.

Because the ORAM baseline experiments in our paper take approximately a week to run, we only reproduce two data points (1,024 and 2,048 documents), making the experiment take a little over an hour.

A.6 Evaluation and expected result

The above instructions reproduce Table 7b, Figure 8, Section 7.2, Figure 10, and Figure 11. There may be some variation from the figures in the paper based on how long the experiments are allowed to run.

Our scripts plot the figures using the ORAM baseline data we collected ourselves, as the experiments we provide for reviewers only reproduce two data points. Reviewers can

compare the two data points we reproduce to the data we collected to verify that the data matches up.

More detailed instructions on running experiments and interpreting results are available here: <https://github.com/ucbrise/dory#running-experiments>.

A.7 Experiment customization

Reviewers can configure experiments to run for more trials, run for different numbers of documents, or use different Bloom filter sizes.

A.8 Notes

We implement the DORY search protocol as described in the body of the paper, and our implementation does not include a

complementary end-to-end encrypted filesystem that could use or interface with DORY. We support keyword search with a small, configurable number of false positives (we do not support regular expressions or other advanced search features).

A.9 AE Methodology

Submission, reviewing and badging methodology:

<https://www.usenix.org/conference/osdi20/call-for-artifacts>